

LAW OFFICES  
**LEYDIG, VOIT & MAYER, LTD.**  
TWO PRUDENTIAL PLAZA, SUITE 4900  
CHICAGO, ILLINOIS 60601-6780

**RECEIVED  
CENTRAL FAX CENTER**

DEC 01 2004

TELEPHONE: (312) 616-5600

TELECOPY: (312) 616-5700 (G3)  
(312) 849-0495 (G4)

**FACSIMILE COVER SHEET**

DATE: DECEMBER 1, 2004

NUMBER OF PAGES (INCLUDING  
THIS TRANSMITTAL COVER SHEET): 6

OUR REFERENCE: 216087

FROM: JOHN KILYK, JR./KLM  
REGISTRATION NO. 30,763

DIRECT LINE: (312) 616-5665

TO: COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
ALEXANDRIA, VA 22313

FACSIMILE NUMBER: (703) 872-9306

IN RE APPLN. OF: Fandke et al.  
APPLICATION NO. 10/088,666  
FILED: June 28, 2002  
FOR: METHOD AND NUCLEIC ACIDS FOR THE DETECTION OF  
MICROORGANISMS RELEVANT TO BREWING

ATTORNEY DOCKET: 216087

**ATTACHED PLEASE FIND THE FOLLOWING DOCUMENTS:**

REQUEST TO ASSOCIATE APPLICATION WITH CUSTOMER NUMBER (1 PAGE)  
COMBINED DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION AND POWER OF ATTORNEY  
(4 PAGES)

A confirmation copy of the transmitted document will:

☒ Not be sent. This will be the only form of delivery of the transmitted document.

The information contained in this facsimile transmission is intended only for the use of the individual or entity named above and those properly entitled to access to the information and may contain information that is privileged, confidential, and/or exempt from disclosure under applicable law. If the reader of this transmission is not the intended or an authorized recipient, you are hereby notified that any unauthorized distribution, dissemination, or duplication of this transmission is prohibited. If you have received this transmission in error, please immediately notify us by telephone or facsimile. Thank you.

**BEST AVAILABLE COPY**

DEC 01 2004

PATENT  
Attorney Docket No. 216087  
Client Reference No. PA30951US

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:

Fandke et al.

Application No. 10/088,666

Art Unit: 1634

Examiner: J.A. Goldberg

Filed: June 28, 2002

For: METHOD AND NUCLEIC ACIDS FOR THE DETECTION OF  
MICROORGANISMS RELEVANT TO BREWING

**REQUEST TO ASSOCIATE  
APPLICATION WITH CUSTOMER NUMBER**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Please associate the subject application with Customer Number:


23460

Correspondence concerning this application should be directed to Leydig, Voit & Mayer, Ltd.: Customer Number 23460.

23460

The undersigned has power of attorney with respect to the subject application, as evidenced by the attached document, which is a copy of a previously filed document in the subject application or a parent application.

Respectfully submitted,

  
John Kilyk, Jr., Reg. No. 30,766  
LEYDIG, VOIT & MAYER, LTD.  
Two Prudential Plaza, Suite 4900  
180 North Stetson  
Chicago, Illinois 60601-6780  
(312) 616-5600 (telephone)  
(312) 616-5700 (facsimile)

Date: December 1, 2004

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKewed/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.